

1. Identification of the substance and of the supplier

1.1 Product identifiers

Product name : DUCKHAMS BRAKE FLUID DOT4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : No further relevant information available

1.3 Details of the supplier of the safety data sheet

Supplier : Duckhams Energy Co.,Ltd. (Head office)

55 Building 33 Space Tower B Room 601 Soi Pradiphat 17, Pradiphat Road,

Phyathai, Phyathai, Bangkok 10400

Hotline : (097) 926 3855

E-mail : Technical@duckhams.co.uk

2. Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



DUGKHAN5
KEEPS YOU MOVING

Signal word Danger

Hazard-determining components of labelling:

2-[2-(2-butoxyethoxy)ethoxy]ethanol

Hazard statements

H318 Causes serious eye damage.

Precautionary statements

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

3. Composition/Information on ingredients

Chemical characterisation: Mixtures

· Description: Mixture: consisting of the following components.

Non dangerous components:				
CAS: 30989-05-0	tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate		25-50%	
EINECS: 250-418-4				
CAS: 112-27-6	2,2'-(ethylenedioxy)diethanol		10-25%	
EINECS: 203-953-2				
Reg.nr.: 01-				
2119438366-35				
Dangerous components:				
CAS: 143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol		50-100%	
EINECS: 205-592-6				
Reg.nr.: 01-		Eye Dam. 1, H318		
2119475107-38		,		

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

4. First aid measures

4.1 Description of first aid measures

- **General information:** Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents :

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

• Protective equipment : Wear self-contained respiratory protective device.

6. Accidental Release Measure

6.1 Personal precautions, protective equipment and emergency procedures

Not required.

6.2 Environmental precautions

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and materials for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7. Handling and Storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s)

See 1.2

No further relevant information available.

8. Exposure Controls/Personal Protection

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs				
143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol				
Oral	DNEL Long-term - Systemic (consumer)	2.5 mg/kg bw/day (/)		
Dermal	DNEL Long-term - Systemic (worker)	50 mg/kg bw/day (/)		
Inhalative	DNEL Long-term - Systemic (worker)	195 mg/m³ (/)		
	DNEL Long-term - Systemic (consumer)	117 mg/m³ (/)		
112-27-6 2,2'-(ethylenedioxy)diethanol				
Dermal	DNEL Long-term - Systemic (worker)	40 mg/kg bw/day (/)		
	DNEL Long-term - Local (worker)	40 mg/kg bw/day (/)		
	DNEL Long-term - Systemic (consumer)	20 mg/kg bw/day (/)		
	DNEL Long-term - Local (consumer)	20 mg/kg bw/day (/)		
Inhalative	DNEL Long-term - Systemic (worker)	50 mg/m³ (/)		
	DNEL Long-term - Local (worker)	50 mg/m³ (/)		
	DNEL Long-term - Systemic (consumer)	25 mg/m³ (/)		
	DNEL Long-term - Local (consumer	25 mg/m³ (/)		
· PNECs				
143-22-6 2-[2-(2-butoxyethox				
PNEC Fresh water	1.5 mg/l (/)			
PNEC Marine water	0.15 mg/l (/)			
PNEC Intermittent releases	5 mg/l (/)			
PNEC Fresh water sediment	5.77 mg/kg (/)			
PNEC Marine sediment	0.13 mg/kg (/)			
PNEC Soil	0.45 mg/kg (/)			
PNEC STP	200 mg/l (/)			
112-27-6 2,2'-(ethylenedioxy)				
PNEC Fresh water	10 mg/l (/)			
PNEC Marine water	1 mg/l (/)			
PNEC Fresh water sediment	46 mg/kg (/)			
PNEC Soil	3.32 mg/kg (/)			
PNEC STP	10 mg/l (/)			

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9. Physical and Chemical Properties

· 9.1 Information on basic physical and chemical properties		
· General Information		
· Appearance:		
Form:	Fluid	
Colour:	Amber coloured	
· Odour:	Ether-like	
· Odour threshold:	Not determined.	
· pH-value at 20 °C:	8	
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gas):	Not applicable	
· Auto-ignition temperature:	202 °C	
· Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	0.9 Vol %	
Upper:	9.2 Vol %	
· Vapour pressure:	Not determined.	
· Density at 20 °C:	1.04 g/cm³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· oxidizing properties	Not determined.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	17.0 %	
VOC-content	17.0 %	
· 9.2 Other information	No further relevant information available.	

10. Stability and Reactivity

10.1 Reactivity Not determined.

No further relevant information available.

10.2 Chemical stability Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoidNo further relevant information available.

10.5 Incompatible materialsNo further relevant information available.

10.6 Hazardous decomposition products No dangerous decomposition products known.

Additional information: None.

11. Toxicological Information

11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:				
143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol				
Oral	LD50	5170 mg/kg (rat)		
Dermal	LD50	3540 mg/kg (rabbit)		
112-27-6 2,2'-(ethylenedioxy)diethanol				
Oral	LD50	>5000 mg/kg (rat)		
Dermal	LD50	>5000 mg/kg (rabbit)		

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- **CMR** effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12. Ecological Information

· 12.1 Toxicity

· Aquatic toxicity:

143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol

EC 50 (72 h) 62.5 mg/l (Desmodesmus subspicatus)
LC 50 (96 h) 2200-4600 mg/l (Leuciscus idus)
EC 50 (48 h) >500 mg/l (daphnia magna)
IC 50 (16 h) >5000 mg/l (Bacteria)

112-27-6 2,2'-(ethylenedioxy)diethanol

LC 50 80000 mg/l (Pimephales promelas)

39000 mg/l (daphnia magna)

61000 mg/l (Lepomis macrochirus)

LC/EC/IC 50 >100 mg/l (algae) >100 mg/l (Bacteria)

· 12.2 Persistence and degradability

No further relevant information available.

· Degree of elimination:

143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol

OECD 301 D 85 % (/)

112-27-6 2,2'-(ethylenedioxy)diethanol

OECD 301 E	63 % (/)
OECD 302B	95 % (/)
OECD 301C	92 % (/)

· 12.3 Bioaccumulative potential

143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol

BCF < 100 (/)

- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13. Disposal Considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14. Transport Information

14.1 UN number

· ADR, ADN, IMDG, IATA Void

14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

14.4 Packaging group

· ADR, IMDG, IATA Void

14.5 Environmental hazards Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

· UN "Model Regulation":

Voic

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Labelling according to Regulation (EC) No 1272/2008 GHS label elements

Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- · Technical instructions (air):

Class	Share in %
NK	17.0

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16. Other Information

Date 1 November 2021

Prepared by: Duckhams Energy Co.,Ltd.

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.



